

# **REQUEST FOR QUOTATION (RFQ)**

RFQ Reference: 4200530776 Date: 04 September 2023

**SECTION 1: REQUEST FOR QUOTATION (RFQ) for the provision of** Rehabilitation works of Qaser Masoud Primary health Center.

International Organisation for Migration (IOM) kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Dates

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Site Visit: on 11/09/2023 at 11:30AM. The site visit is mandatory and failure to attend will be ground for disqualification and for any technical queries, please get in touch with Engineers:

1- Engr. Mohamed Alnaas, email: alnmohammed@iom.int Phone: 0913696625/ 0925750059.

Thank you and we look forward to receiving your quotations.

**IOM Libya Procurement** 



# **SECTION 2: RFQ INSTRUCTIONS AND DATA**

Deadline for the Submission of Quotation	18 September 2023 If any doubt exists as to the time zone in which the quotation should be submitted, refer to <a href="http://www.timeanddate.com/worldclock/">http://www.timeanddate.com/worldclock/</a> .				
Method of Submission	Quotations must be submitted as follows:  ☐ E-tendering ☐ Email ☐ Courier / Hand delivery ☐ Other				
	Bid submission address: iomlibyaproposal@iom.int				
	■ File Format: PDF				
	<ul> <li>File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard.</li> </ul>				
	<ul> <li>All files must be free of viruses and not corrupted.</li> </ul>				
	<ul> <li>Max. File Size per transmission: 25MB</li> </ul>				
	Mandatory subject of email: 4200530776 "Company name"				
	<ul> <li>Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y.</li> </ul>				
	<ul> <li>It is recommended that the entire Quotation be consolidated into as few attachments as possible.</li> </ul>				
	<ul> <li>The proposer should receive an email acknowledging email receipt.</li> </ul>				
Cost of preparation of quotation	IOM shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.				
Supplier Code of Conduct	All prospective suppliers must read the UN Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: <a href="Supplier Code">Supplier Code</a> of Conduct (ungm.org).				
Conflict of Interest	UN encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UN if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.				
General Conditions of	Any Purchase Order or contract that will be issued as a result of this RFQ shall be				
Contract	subject to the IOM General Conditions of Contract for provision of goods/services/transportation/medical services available at https://www.iom.int/do-business-us-procurement.				
Eligibility	Bidders shall have the legal capacity to enter into a binding contract with IOM and to deliver in the country, or through an authorized representative.				
Currency of Quotation	Quotations shall be quoted in USD				
Duties and taxes	The International Organization for Migration is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:  All prices shall:  be inclusive of VAT and other applicable indirect taxes				
	<ul> <li>☑ be inclusive of VAT and other applicable indirect taxes</li> <li>☑ be exclusive of VAT and other applicable indirect taxes</li> </ul>				
Language of quotation and documentation including	English				



	ONTHIGRATION
catalogues, instructions, and operating manuals	
Documents to be submitted	Bidders shall include the following documents in their quotation:
	□ Annex 3: Technical and Financial Offer duly completed and signed and in
	accordance with the Schedule of Requirements in Annex 1
	Other
Quotation validity period	Quotations shall remain valid for 60 days from the deadline for the Submission of
Zaromon raman, person	Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any
	other market factors shall be accepted at any time during the validity of the
	quotation after the quotation has been received.
Partial Quotes	Not permitted     Not
	☐ Permitted
Payment Terms	☐ 100% within 30 days after receipt of goods, works and/or services and
r dymene remis	submission of payment documentation.
	✓ Other 95% after project completion with 5% retention for 3 months
Contact Person for	Focal Person: IOM LIBYA PROCUREMNT
correspondence,	E-mail address: iomlibyaproposal@iom.int.
notifications and	=a. aaareaarramayaprapaaneraminer
clarifications	
Clarifications	Requests for clarification from bidders will not be accepted any later than 2 days
	before the submission deadline. Responses to request for clarification will be
	communicated via email by 16 September 2023
Evaluation method	☑The contract will be awarded to the lowest price substantially compliant offer
	☐ Other Click or tap here to enter text.
Evaluation criteria	☑Full compliance with all requirements as specified in Annex 1
	☐Comprehensiveness of after-sales services
	⊠Earliest Delivery /shortest lead time.
	□Others (for ex, environmental criteria/considerations, etc)
Right not to accept any quotation	IOM is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at	At the time of award of Contract or Purchase Order, IOM reserves the right to vary
time of award	(increase or decrease) the quantity of services and/or goods, by up to a maximum
	25% of the total offer, without any change in the unit price or other terms and
	conditions.
Type of Contract to be awarded	Construction service agreement
Expected date for contract	30 October 2023
award.	
Policies and procedures	This RFQ is conducted in accordance with Policies and Procedures of IOM
UNGM registration	IOM is encouraging all suppliers to register at the United Nations Global Marketplace
	(UNGM) website at <u>www.ungm.org</u> . The Bidder may still submit a quotation even if
	not registered with the UNGM, however, if the Bidder is selected for Contract award
	of USD 100,000 and above, the Bidder is recommended to register on the UNGM prior to contract signature. For vendors who do not have the technical means to
	register in UNGM, the UNGM has implemented an assisted vendor registration
	functionality that allows IOM procurement personnel to add local vendors to the
	UNGM.
	orom.



# **ANNEX 1: SCHEDULE OF REQUIREMENTS**

## **Technical Specifications for Works:**

	Mandatory site visit on 11/September/2023				
Item No	Minimum technical requirements (Qaser Masoud , Qtroun)	QTY	Unit		
1	Supply and installation of steel protection doors (laser blacksmith) thickness of 4 mm doubld leaf door according to the approved sample and price including packaging with plastic plates, hardware, locks, paints and all necessary for the completion of the work . accordance to the technical regulations and instructions of the supervising engineer.	21	SQ.M		
2	Supply and installation of steel protection doors (laser blacksmith) thickness of 4 mm one leaf door according to the approved sample and price including packaging with plastic plates, hardware, locks, paints and all necessary for the completion of the work . accordance to the technical regulations and instructions of the supervising engineer.	5	SQ.M		
3	Supply and installation of protective iron (laser blacksmithing) thickness of 4 mm for the facade of the building and the windows according to the sample and the approved form, the price including frame and paints and all that is necessary to do the work according to the technical principles and instructions of the supervising engineer	50	SQ.M		
4	Supplying and installing P.V.C partition (wooden) that contains two doors with all accessories, according to the approval sample, the technical principles, and instructions of the supervising engineer.	22	SQ.M		
5	Supply and installation of air conditioners of 12000 BTU power inverter, including the switch, connection wires, and remove the old one, according to the approved sample and the instructions of the supervising engineer.	16	No		
6	Supply & installation of prefabricated unit sandwich panels with dimensions (12.0*3.0)m to use as a store building the work includes:  •Electrical connections, including chairs, switches, lighting bases, and connection to the electricity source.	1	L.S		
	•Clearing off and de-rooting the trees for the entire courtyard area and dumping the unwanted materials and debris into the designated dumping area The work shall include the cut and leveling the ground.				
	•Supply and install three air-condition-12000 BTU.				
	Supply & installation of steel stairs for the entrance to the warehouse, with a width of 1.40 m. According to the charts.				
	Supply and Installation of )1( PVC doors )2.20&1.00(m.				
	Supply and Installation of )3( PVC windows )0.80&0.40(m.				



	Supply and Installation of )3( PVC doors )2.20&1.00(m.		
	Supply and installation of grilles security for windows & main door.		
	_ The main steel element for the bases of the prefab. shall be (H- beam section) with a width of not less than 20 cm.		
7	Supply and cast reinforced concrete with 20 cm thickness and stress thresholds break 30N/MM² and stress fracture 115kgm/m³ for ground floor according to drawings and technical instructions of supervising engineer.	36	SQ.M

## **Delivery Requirements**

Delivery Requirements				
Delivery date and time	Bidder shall deliver the work based on the delivery schedule provided After Contract signature.			
Delivery Terms (INCOTERMS 2020)	DAP – Delivered at place			
Customs clearance (must be linked to INCOTERM	<ul> <li>☑ Not applicable</li> <li>Shall be done by:</li> <li>☐ Name of organisation</li> <li>☐ Supplier/bidder</li> <li>☐ Freight Forwarder</li> </ul>			
Exact Address(es) of Delivery Location(s)	Qaser Masoud , Qtroun-Libya			
Distribution of shipping documents (if using freight forwarder)	N/A			
Packing Requirements	N/A			
Training on Operations and Maintenance	N/A			
Warranty Period	All equipment shall have 1-year warranty			
After-sales service and local service support requirements	N/A			
Preferred Mode of Transport	Land			
Other information	Contractors should provide their experience in drilling water wells is mandatory and that they are a registered construction and drilling company.			



### **ANNEX 2: QUOTATION SUBMISSION FORM**

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:		
RFQ reference:	4200530776	Date:

#### **VENDOR INFORMATION SHEET<sup>1</sup>**

#### Please fill and sign the attached form

#### BIDDER'S DECLARATION OF CONFORMITY<sup>2</sup>

Yes	No	
		On behalf of the Supplier, I hereby represent and warrant that neither the Supplier, nor any person having powers of representation, decision-making or control over it or any member of its administrative, management or supervisory body, has been the subject of a final judgement or final administrative decision for one of the following reasons: bankruptcy, insolvency or winding-up procedures; breach of obligations relating to the payment of taxes or social security contributions; grave professional misconduct, including misrepresentation, fraud; corruption; conduct related to a criminal organisation; money laundering or terrorist financing; terrorist offences or offences linked to terrorist activities; child labour and other trafficking in human beings, any discriminatory or exploitative practice, or any practice that is inconsistent with the rights set forth in the Convention on the Rights of the Child or other prohibited practices; irregularity; creating or being a shell company.
		On behalf of the Supplier, I further represent and warrant that the Supplier is financially sound and duly licensed.
		On behalf of the Supplier, I further represent and warrant that the Supplier has adequate human resources, equipment, competence, expertise and skills necessary to complete the contract fully and satisfactorily, within the stipulated completion period and in accordance with the relevant terms and conditions.
		On behalf of the Supplier, I further represent and warrant that the Supplier complies with all applicable laws, ordinances, rules and regulations.
		On behalf of the Supplier, I further represent and warrant that the Supplier will in all circumstances act in the best interests of IOM.
		On behalf of the Supplier, I further represent and warrant that no official of IOM or any third party has received from, will be offered by, or will receive from the Supplier any direct or indirect benefit arising from the contract.
		On behalf of the Supplier, I further represent and warrant that the Supplier has not misrepresented or concealed any material facts during the contracting process.
		On behalf of the Supplier, I further represent and warrant that the Supplier will respect the legal status, privileges and immunities of IOM as an intergovernmental organization.

<sup>&</sup>lt;sup>1</sup> <u>Vendor Information Sheet.xlsx</u>

<sup>&</sup>lt;sup>2</sup> This form is mandatory to fill in and sign by every vendor who submits quotation



Yes	No	
		On behalf of the Supplier, I further represent and warrant that neither the Supplier nor any persons having powers of representation, decision-making or control over the Supplier or any member of its administrative, management or supervisory body are included in the most recent Consolidated United Nations Security Council Sanctions List (the "UN Sanctions List") or are the subject of any sanctions or other temporary suspension. The Supplier will immediately disclose to IOM if it or they become subject to any sanction or temporary suspension.
		On behalf of the Supplier, I further represent and warrant that the Supplier does not employ, provide resources to, support, contract or otherwise deal with any person, entity or other group associated with terrorism as per the UN Sanctions List and any other applicable anti-terrorism legislation.
		On behalf of the Supplier, I further represent and warrant that, the Supplier will apply the highest ethical standards, the principles of efficiency and economy, equal opportunity, open competition and transparency, and will avoid any conflict of interest.
		On behalf of the Supplier, I further represent and warrant that the Supplier undertakes to comply with the Code of Conduct, available at <a href="https://www.ungm.org/Public/CodeOfConduct">https://www.ungm.org/Public/CodeOfConduct</a> .
		It is the responsibility of the Supplier to inform IOM immediately of any change to the information provided in this Declaration.
		On behalf of the Supplier, I certify that I am duly authorized to sign this Declaration and on behalf of the Supplier I agree to abide by the terms of this Declaration for the duration of any contract entered into between the Supplier and IOM.
		IOM reserves the right to terminate any contract between IOM and the Supplier, with immediate effect and without liability, in the event of any misrepresentation made by the Supplier in this Declaration.
Signatuı	re:	
Name:		
Title:		
Date:		



### **ANNEX 3: TECHNICAL AND FINANCIAL OFFER - WORKS**

Bidders are requested to complete this form, sign it and return it as part of their quotation along with Annex 2 Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:		
RFQ reference:	4200530776	Date:

#### **Technical Offer**

Provide the following:

- a brief description of your qualification and capacity that is relevant to the Scope of Works;
- a brief method statement and implementation plan;
- team composition and CVs of key personnel

#### **Financial Offer**

Description of Works	UOM	Qty	Unit Price	Total Price
Rehabilitation of Qaser Masoud health center .The work includes: 1-		1		
Supply and installation of steel protection doors (laser blacksmith)		1		
thickness of 4 mm doubld leaf door according to the approved sample				
and price including packaging with plastic plates, hardware, locks, paints				
and all necessary for the completion of the work . accordance to the				
technical regulations and instructions of the supervising engineer. 2-				
Supply and installation of steel protection doors (laser blacksmith)				
thickness of 4 mm one leaf door according to the approved sample and				
price including packaging with plastic plates, hardware, locks, paints and				
all necessary for the completion of the work . accordance to the				
technical regulations and instructions of the supervising engineer. 3-				
Supply and installation of protective iron (laser blacksmithing) thickness				
of 4 mm for the facade of the building and the windows according to the				
sample and the approved form, the price including frame and paints and				
all that is necessary to do the work according to the technical principles				
and instructions of the supervising engineer. 4-Supplying and installing				
P.V.C partition (wooden) that contains two doors with all accessories,				
according to the approval sample, the technical principles, and				
instructions of the supervising engineer. 5-Supply and installation of air				
conditioners of 12000 BTU power inverter, including the switch,				
connection wires, and remove the old one, according to the approved				
sample and the instructions of the supervising engineer. 6-Supply &				
installation of prefabricated unit sandwich panels with dimensions				
(12.0*3.0)m to use as a store building the work includes: •Electrical				
connections, including chairs, switches, lighting bases, and connection to				
the electricity source.				
Clearing off and de-rooting the trees for the entire courtyard area and				
dumping the unwanted materials and debris into the designated				
dumping area The work shall include the cut and leveling the ground.				
•Supply and install three air-condition-12000 BTU. • Supply & installation				
of steel stairs for the entrance to the warehouse, with a width of 1.40 m.				
According to the charts. • Supply and Installation of (1) PVC doors				
(2.20&1.00)m. • Supply and Installation of (3) PVC windows				
(0.80&0.40)m. • Supply and Installation of (3) PVC doors (2.20&1.00)m. •				
Supply and installation of grilles security for windows & main door The				
main steel element for the bases of the prefab. shall be (H- beam				
section) with a width of not less than 20 cm Implementation of gutters				



for draining rainwater. The work includes all necessary to complete the		
work according to the standards, specifications, and instructions of the		
supervising engineer. 7-Supply and cast reinforced concrete with 20 cm		
thickness and stress thresholds break 30N/MM² and stress fracture		
.115kgm/m³ for ground floor according to drawings and		
Total		

# **Compliance with Requirements**

	You Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal	
Delivery Lead Time			Click or tap here to enter text.	
Validity of Quotation			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	
Other requirements [pls. specify]			Click or tap here to enter text.	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that							
the quotation is accepted.							
Exact name and address of company	Authorized Signature:						
Company NameClick or tap here to enter text.	Date:Click or tap here to enter text.						
Address: Click or tap here to enter text.	Name:Click or tap here to enter text.						
Click or tap here to enter text.	Functional Title of Authorised						
Phone No.:Click or tap here to enter text.	Signatory:Click or tap here to enter text.						
Email Address:Click or tap here to enter text.	Email Address: Click or tap here to enter text.						

9

Project Title: Rehabiliation of Qaser Masoud health center									
Location of Project: Qaser Masoud , Qtroun									
Project Time Frame:									
	DESCRIPTION	الكمية .QTY	UNIT الوحدة	UNIT Price(\$) سعر الوحدة	TOTAL Price السعر الاجمالي	بيان الاعمال	و.ع		
	Rehabiliation of Qaser Masoud health center					اعمال صيانة المركز الصبي قصر مسعود			
1	Supply and installation of steel protection doors (laser blacksmith) thickness of 4 mm doubld leaf door according to the approved sample and price including packaging with plastic plates, hardware, locks, paints and all necessary for the completion of the work. accordance to the technical regulations and instructions of the supervising engineer.	21	SQ.M			توريد وتركيب حديد ابواب حماية من الحديد ( حداده ليزرية ) سمك 4 مم من ضلفتين حسب العينة والشكل المعتمد والسعر شاملا الدهانات والاقفال والمقابض والخردوات وكل مايلزم لنهو العمل وذلك طبقاً للاصول الفنية وتعليمات المهندس المشرف.	1		
2	Supply and installation of steel protection doors (laser blacksmith) thickness of 4 mm one leaf door according to the approved sample and price including packaging with plastic plates, hardware, locks, paints and all necessary for the completion of the work accordance to the technical regulations and instructions of the supervising engineer.	5	SQ.M			توريد وتركيب حديد ابواب حماية من الحديد ( حداده ليزرية ) سمك 4 مم من ضلفة واحدة حسب العينة والشكل الممتمد والسعر شاملا الدهانات والاقفال والمقابض والخردوات وكل مايلزم لنهو العمل وذلك طبقاً للاصول الفنية وتعليمات المهندس المشرف.	2		
3	Supply and installation of protective iron (laser blacksmithing) thickness of 4 mm for the facade of the building and the windows according to the sample and the approved form, the price including frame and paints and all that is necessary to do the work according to the technical principles and instructions of the supervising engineer	50	SQ.M			توريد وتركيب حديد حماية ( حداده ليزرية ) سمك 4 مم لزوم واجهة المبني والشبابيك حسب العينة والشكل المعتمد ، والسعر شاملا الإطارات والدهانات وكل مايلزم لنهو العمل حسب الاصول الفنية وتعليمات المهندس المشرف	3		
4	Supplying and installing P.V.C partition (wooden) that contains two doors with all accessories, according to the approval sample, the technical principles, and instructions of the supervising engineer.	22	SQ.M			توريد وتركيب فاصل من P.V.C ( الخشبي ) يحتوي علي عدد ( 2 باب ) ، والخرداوات الخاصة بها، ومن عينة معتمدة، تركب طبقاً للأصول الفنية وتعليمات المهندس المشرف.	4		
5	Supply and installation of air conditioners of 12000 BTU power inverter, including the switch, connection wires, and remove the old one, according to the approved sample and the instructions of the supervising engineer.	16	No			توريد وتركيب مكيفات هواء قوة 20000 وحدة حرارية قطمتين انفيرتر شاملا المفتاح وأسلاك التوصيل مع فك القديم وكل ما يلزم انهو العمل وذلك يحسب العينة المعتمدة طبقاً للأصول الفنية و تعليمات المهتدس المشرف .	5		
6	Supply & installation of prefabricated unit sandwich panels with dimensions (12.0*3.0)m to use as a store building the work includes:  *Electrical connections, including chairs, switches, lighting bases, and connection to the electricity source.  *Clearing off and derooting the trees for the entire courtyard area and dumping the unwanted materials and debris into the designated dumping area The work shall include the cut and leveling the ground.  *Supply and installation of steel stairs for the entrance to the warehouse, with a width of 1.40 m. According to the charts.  *Supply and Installation of (1) PVC doors (2.20&1.00)m.  *Supply and Installation of (3) PVC windows (0.80&0.40)m.  *Supply and Installation of grilles security for windows & main door.  The main steel element for the bases of the prefab. shall be (H- beam section) with a width of not less than 20 cm.  -Implementation of gutters for draining rainwater.  The work includes all necessary to complete the work according to the standards, specifications, and instructions of the supervising engineer.	1	L.S			توريد وتركيب مبنى جاهز (الواح السائدوتش) بأباهاد (12.00*80.00م) لزوم المخزن والعمل يشمل: التوصيلات الكهربائية شاملا البرايز والمقاتيح وقواعد الالارة والربط بمصدرالكهرباء البرايز الواقة القائم المالكمل وإلقاء المواد والحطام غير المرفوب فيه في منطقة المكب المخصصة. يجب أن يشمل العمل قطع وتسوية الأرض توريد وركيب يافذ من VPH عزاجية مقاس (80.0 م 40.0 م) بعدد - توريد وركيب يافذ من VPH عزاجية مقاس (90.1 م) بعدد - الحديد الرئيسي للقواعد يكون بالزبالي قطاع (10.1 م) بعددا - الحديد الرئيسي للقواعد يكون بالزبالي قطاع (14) بعرض لا يقل عن 20سم عمل سلالم من الحديد الزوم منحل المغرن بعرض 10.1 م . حسب المخططاطات عمل سلالم عن الحديد الزوم منحل المغرن بعرض 11.00 م . حسب المخططاطات توريد وتركيب حديد حماية لزوم الابواب والنوافذ.	6		
7	Supply and cast reinforced concrete with 20 cm thickness and stress thresholds break 30N/MM² and stress fracture 115kgm/m³ for ground floor according to drawings and technical instructions of supervising engineer.	36	SQ.M			توريد وصب خرسانة مسلحة بسمك prn 20 بإجهاد كسر 30 نيوتن / مع <sup>5</sup> وحديد تسليح بنسبة 115 كجم / م <sup>و</sup> لزوم توضع المباني الجاهزة طبقا للأصول الفنية وتعليمات المهندس المشرف.	7		
	Total COST in USD								
NOTES/(In Arabic)									
1	ALL THE CONSTRUCTION MATERIALS SHOULD BE BRAND NEW AND TESTED ACCORDING TO CONSTRUCTION WORKS SPECIFICATIONS BY TSE AND INSTRUCTION OF SITE ENGINEER.			جميع مواد الانشاء والصيانة يجب ان تكون جديدة ومعتمدة من المهندس المشرف					
2	2 IN CASE OF ANY DIFFERENCE BETWEEN BOQ AND DESIGNS, THE INSTRUCTION OF SUPERVISOR ENGINEER WILL PREVAIL.			في حالة وجود أي اختلاف بين جداول الكميات والتصاميم ، سيتم تطبيق تعليمات المهندس المشرف.					

