

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: 4200765729

Date: 07 October 2024

SECTION 1: Request for Quotation (RFQ) – Procurement of Medical Equipment and Transportation for Clinic Setup in Abu Salim DC.

International Organisation for Migration (IOM) kindly requests your quotation for the provision of goods detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using **Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer**, by the method and by the date and time indicated. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Approved by:

Supply Chain Unit

IOM Libya Mission

SECTION 2: RFQ INSTRUCTIONS AND DATA

| | |
|---|---|
| Deadline for the Submission of Quotation | <p>13 Oct 2024</p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.</p> |
| Method of Submission | <p>Quotations must be submitted as follows:</p> <p><input type="checkbox"/> E-tendering</p> <p><input checked="" type="checkbox"/> Email</p> <p><input type="checkbox"/> Courier / Hand delivery</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p> <p>Bid submission address: iomlibyaproposal@iom.int</p> <ul style="list-style-type: none"> ▪ File Format: Pdf and Excel ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 30 MB ▪ Mandatory subject of email: RFQ Company name ▪ Multiple emails must be clearly identified by indicating in the subject line “email no. X of Y”, and the final “email no. Y of Y”. ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible. ▪ The proposer should receive an email acknowledging email receipt. |
| Cost of preparation of quotation | IOM shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process. |
| Supplier Code of Conduct | All prospective suppliers must read the UN Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: Supplier Code of Conduct (ungm.org) . |
| Conflict of Interest | UN encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UN if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. |
| General Conditions of Contract | Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the IOM General Conditions of Contract for provision of goods/services/transportation/medical services available at https://www.iom.int/do-business-us-procurement . |
| Eligibility (Upon conditional awarding) | <p>Bidders shall have the legal capacity to enter into a binding contract with IOM and to deliver in the country, or through an authorized representative.</p> <p>QA documents required before engaging in any contract:</p> <p>Pharmaceuticals:</p> <p>Low Risk: Prequalified Lists WHO - Prequalification of Medical Products (IVDs, Medicines, Vaccines and Immunization Devices, Vector Control)/SRA Certification or</p> <p>Medium Risk:</p> <ul style="list-style-type: none"> A. COO, COA, Batch Release Certificate, Certificate of Good Manufacturing Practice for QA verification or B. FDCC Clearance certificate of each medicine with detailed specifications and batches intended to be supplied and C. FDCC Registration of the local vendors |

| | |
|---|---|
| | Medical supplies and equipment: Low Risk: SRA Certificate or Medium Risk: CE Certificate or High-Risk: FDCC certificate of each medical supplies (if applicable) and FDCC Registration of the local vendors. |
| Currency of Quotation | Quotations shall be quoted in USD |
| Duties and taxes | <p>The International Organization for Migration is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices shall:</p> <p><input type="checkbox"/> be inclusive of VAT and other applicable indirect taxes</p> <p><input checked="" type="checkbox"/> be exclusive of VAT and other applicable indirect taxes</p> |
| Language of quotation and documentation including catalogues, instructions and operating manuals | English |
| Documents to be submitted | <p>Bidders shall include the following documents in their quotation:</p> <p><input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed</p> <p><input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1</p> <p><input checked="" type="checkbox"/> Other Bidder not already registered with IOM must submit the following documents: Company Profile, Valid Company Registration Certificates, Company Articles of association, Company Organogram, Bank account letter, Audited financial statement for last two years or Bank account statement for one year, Tax Certificate, references.</p> |
| Quotation validity period | Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation. |
| Price variation | No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received. |
| Partial Quotes | <p><input type="checkbox"/> Not permitted</p> <p><input checked="" type="checkbox"/> Permitted (<i>per line item</i>)</p> |
| Payment Terms | <p><input checked="" type="checkbox"/> 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation.</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p> |
| Contact Person for correspondence, notifications and clarifications | <p>Focal Person : Procurement focal point</p> <p>E-mail address: iomlibyaproposal@iom.int</p> |
| Clarifications | Requests for clarification from bidders will not be accepted any later than 3 days before the submission deadline. Responses to request for clarification will be communicated by email by 09 October 2024 |
| Evaluation method | <p><input checked="" type="checkbox"/> The contract will be awarded to the lowest price substantially compliant offer with required QA Documents.</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p> |
| Evaluation criteria | <p><input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 (dosage form, concentration, active ingredients. Etc)</p> <p><input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract</p> <p><input checked="" type="checkbox"/> Comprehensiveness of after-sales services</p> <p><input checked="" type="checkbox"/> Earliest Delivery /shortest lead time</p> <p><input checked="" type="checkbox"/> Expiry date no less than 18 months</p> <p><input type="checkbox"/> Others (<i>for ex, environmental criteria/considerations, etc</i>)</p> |

| | |
|---|---|
| Right not to accept any quotation | IOM is not bound to accept any quotation, nor award a contract or Purchase Order |
| Right to vary requirement at time of award | At the time of award of Contract or Purchase Order, IOM reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum 25% of the total offer, without any change in the unit price or other terms and conditions. |
| Type of Contract to be awarded | PO for goods |
| Expected date for contract award. | 25 October 2024 |
| Policies and procedures | This RFQ is conducted in accordance with Policies and Procedures of IOM |
| UNGM registration | IOM is encouraging all suppliers to register at the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award of USD 100,000 and above, the Bidder is recommended to register on the UNGM prior to contract signature. For vendors who do not have the technical means to register in UNGM, the UNGM has implemented an assisted vendor registration functionality that allows IOM procurement personnel to add local vendors to the UNGM. |
| Partial Awarding | <input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted (<i>per line item</i>) |

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods

Delivery Requirements

| Delivery Requirements | |
|--|--|
| Delivery date and time | Bidder shall deliver the goods to Tripoli Abu Salim DC After Contract signature. |
| Delivery Terms (INCOTERMS 2020) | DAP |
| Customs clearance (must be linked to INCOTERM) | <input checked="" type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation <input type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder |
| Exact Address(es) of Delivery Location(s) | Tripoli Abu Salim DC |
| Distribution of shipping documents (if using freight forwarder) | N/A |
| Packing Requirements | N/A |
| After-sales service and local service support requirements | At least 1 year warranty |
| Preferred Mode of Transport | Land |
| Other information | N/A |

Technical Specifications:

| No | Min. Technical Specification | Unit | Total Qty |
|----|---|-------------|-----------|
| 1 | Portable Semi automatic AED with ECG monitoring , LCD display with both adult and pediatric pads. and CPR help-function.CE / FDA Approved | Single unit | 1 |
| 2 | Adjustable hydraulic Rolling swivel patient stool with backrest. | Single unit | 1 |
| 3 | Clinic chair (lacquered stool chrome-plated steel frame, with upholstered seat and back, Load capacity 120 kg. Seat height 46 cm. Seat depth 42.5 cm. | Single set | 4 |
| 4 | Hospital double foot step with Anti Slippery Rubber Coating. Dimension 45 x 43 x 35 Centimeters | Single unit | 2 |
| 5 | IV poles/stand, stainless steel 4 hook IV poles with 4 wheels | Single unit | 2 |
| 6 | Durable Crutches with Underarm Pad and Hand Grip capable of supporting up to 120 KG.Height adjusts easily via the underarm tube and leg tub | Single pair | 2 |
| 7 | LED Examination Lamp. LED light 80HF 8w ,Arm compensated by internal springs , with located on the focus ,Cable length of 150cm ,White PVC base of 65cm with five rolling wheels of 45mm, three of them with brakes ,Dimensions at least 65x65x125-190cm | Single unit | 1 |
| 8 | Led X-ray illuminator/x-ray viewer, electrical power supplied. Double Panel ,Size 60 cm x40 cm | Single unit | 1 |
| 9 | Weight and height scale for infants with LCD display .Replaceable battery powered device(smooth surface with a curved platform, displayed Kilograms (kg), and Pounds (lb), weight capacity 5 g - 20 kg together optimally would have a built in height rod. | Single unit | 1 |
| 10 | Good quality adult Digital weight and height scale with weight capacity and readability 250 kg, and height capacity from 60cm to 220 cm. preferably SECA or equivalent | Single unit | 1 |
| 11 | Medical Storage cabinet of Aluminum or stainless steel metal with two doors and multiple shelves inside with lock , Dimensions 185 cm X100 cm X45cm | Single set | 1 |
| 12 | Minor surgical kit. All tools are made from high-grade surgical stainless steel (TC Olsen Hager Needle Holder 5.5" (14cm)+ TC Mayo Scissors 5.5" (14cm) +Kelly Forceps 5.5" (14cm) Straight+Kelly Forceps 5.5" (14cm) Curved+Adson Forceps 4.75" (12cm)+Adson Forceps 1x2 Teeth 4.75" (12cm)+Mosquito Forceps 5" (12.5cm) Straight+Mosquito Forceps 5" (12.5cm) Curved+Iris Scissors 4.5" (11.4cm)+Spencer Scissors 4.5" (11.4cm)+Dressing Forceps 6.25" (16cm)+Scalpel Handle # 3+Scalpel Handle # 4 | EA | 1 |

| | | | |
|----|--|-------------|----|
| 13 | Adjustable examination bed. Size: 190 cm L X W 68 cm X H 46 cm preferably with adjustable height, and head incline, with paper roll holder . | Single Unit | 2 |
| 14 | Privacy screen section - Folding Privacy hospital Screen with 4 Steel Frames and swivel castors 72cm(H) x 312cm(W) , 38cm(D) Across Legs | Single set | 2 |
| 15 | Swivel Doctor Office chair. Rotary Soft Seat Chair with armrest, with, Seat height adjustment, Padded seat and covered with a leatherette cover. Dimension H x W x D: 117.0 x 58.0 x 48.0 cm. capacity to 120 kg. | Single set | 1 |
| 16 | Disposable Sharp bin container (7 L) | EA | 15 |
| 17 | Biohazard Bags 10 L | Roll of 10 | 20 |
| 18 | illuminated Snellen Eye box, Eye Charts for Eye Exams | Single set | 1 |
| 19 | Portable cool Box 35 Liter with 4 Ice pack gel 500 ml. | Single set | 1 |
| 20 | White doctor's coat -Size XX-Large Made of cotton medical white coat with pockets and IOM logo printed on top pocket. | Single unit | 2 |
| 21 | White doctor's coat -Size X-Large Made of cotton medical white coat with pockets and IOM logo printed on top pocket. | Single unit | 1 |
| 22 | Wooden Office desk with 3 Drawer Mobile File Cabinet. Dimension : W 150cm x D 70cm x H 75cm. | Single unit | 1 |
| 23 | Medical utility trolley table - stainless steel Size (60*40*86cm) preferable with one drawer | Single unit | 1 |
| 24 | Wheel chair- Standard Manual wheelchairs with Foldable frame, armrest, back support, Swing type footrest, Seat width 24 x 11 x 32 inches. Solid tyre | Single unit | 1 |
| 25 | Aneroid Sphygmomanometer. Manual blood pressure measurement device with removable adult sized cuff and children sized blood pressure measurement cuff CE/FDA approved. Preferably riester or equivalent | Single unit | 1 |
| 26 | Clinically validated digital Sphygmomanometer replaceable battery powered device with digital screen with different cuff size adult and children size, Irregular heartbeat detection, CE / FDA Approved. preferably Riester or Equivalent . | Single unit | 1 |
| 27 | Digital thermometer, Oral Thermometer reading within 30 second. Measurement range 32 °C - 42 °C | EA | 4 |
| 28 | Disposable Adults manual resuscitator PVC . Standard expiratory outlet to attach the PEEP valve (5-20 cmH2O).Resuscitator bag of 1,700 mL.Oxygen reservoir bag of 2,500 mL and reservoir valve.VC face mask no. 6. .Oxygen extension tube. Guedell cannula no. 3 and no.5. | Single unit | 2 |

| | | | |
|----|---|-------------|---|
| 29 | Dispoable manual Ambu bag PVC, set, self-inflating bag with reservoir and mask (Pediatric). Recommended for use in children weighing between 7-30 Kg. Standard expiratory outlet to attach the PEEP valve (2-10 cmH2O). Built-in safety valve. Resuscitator bag of 750 mL. Oxygen reservoir bag of 2,500 mL and reservoir valve. Self-sealing PVC face mask no. 3. Child adult valve. Oxygen extension tube. Güedell cannula no. 1 and no. 3. | Single unit | 1 |
| 30 | Reusable elastic Nylon tourniquet with quick release system | Single unit | 4 |
| 31 | Examination specula- Disposable single use Ear Specula for universal use with the available otoscope | Pack of 100 | 2 |
| 32 | Trolley, Emergency Medical Trolley. Versatile cart featuring five or six spacious drawers, constructed with a blend of aluminum and epoxy-coated steel. Equipped with a side push handle, a sturdy ABS base, and drawers that close automatically. Includes an ID card slot, 100mm wheels for smooth mobility (two of which are lockable), and telescopic slides with automatic closing functionality. | Single unit | 1 |
| 33 | Emergency backpack with multiple in front , side and interior pockets , dimensions L65 cm x W35 cm x H 55 cm . Capacity of 45 Liter. | Single set | 1 |
| 34 | Glucometer with glucose test strips-Digital device with battery , lancets , lancet pin , | Single Unit | 2 |
| 35 | ECG12-channel electrocardiograph, equipped with a full alphanumeric keyboard featuring excellent functional one-touch operation keys. It features a 8.4" LCD display with two screen type options. CE / FDA Approved . With 10 paper roll. | Single unit | 1 |
| 36 | Laryngoscope Set. MacIntosh Conventional Standard Laryngoscope Configurations of 3 blades and battery handles in impact-resistant cases | Single unit | 1 |
| 37 | Measuring tape Retractable -measurement tape with matric measurement at least 150 cm length | Single unit | 2 |
| 38 | Professional LED diagnostic penlight | Single Unit | 4 |
| 39 | Ophthalmoscope LED HQ ,Aspherical optical system , Aluminum frame system, 28 Lenses ,74 single diopter steps Eliminates corneal reflex Ideal for small pupils ,Dustproof | Single set | 1 |
| 40 | "Otoscope. 2.7V vacuum lamp. Removable magnifying lens with 2.5x magnification, Simple bulb replacement at the base of the instrument head, Screw fitting for secure attachment to the handle Supplied in a sturdy nylon pouch" | Single set | 1 |
| 41 | Portable Oxygen Concentrator. Flow rate: 10 LPM in 1 liter increments. alarm indicators: High system pressure, Low system pressure, Power failure, Low oxygen level. Highly durable casters designed to withstand rigorous usage. Up to 96% oxygen concentration in the range of 2 - 10 LPM. 2Operating Voltage 230V/60Hz. | Single set | 1 |

| | | | |
|----|--|------------------------|----|
| 42 | Glucometer test strips | Pack of 50 test strips | 8 |
| 43 | Adult oxygen Mask | EA | 20 |
| 44 | Pediatric oxygen Mask | EA | 20 |
| 45 | High quality Stethoscope. Dual-head Stethoscope, adult and pediatric size bells, light weight, soft-sealing eartips) Acoustic Chrome-plated binaural metal with diaphragm & cone and non-chill large bell | Single unit | 2 |
| 46 | Finger Pulse oximeter for adults-adult battery powered \with display. | Single unit | 1 |
| 47 | Pulse oximeter for children .Battery powered portable pediatric pulse oximeter with Shows real time Pulse Rate, Pulse Rate Bar and SpO2 level. Preferably Hand held huntleigh brand or equivalent with pediatric sensor. | EA | 1 |
| 48 | Three Seaters stainless steel waiting chair. Lacquered steel frame, with upholstered back Size1800*630*800mm. | Single unit | 2 |
| 49 | Dressing kits each contain:,Guaze Roll 500g (2 roll),Cotten Roll 500mg (2 roll), (Sterile gauze swab 10 cmX10cm (5box of 100 pcs), surgical face mask (3pack of 50 cs) Betadine 10% solution (4 bottle of 100 ml), Sterile surgical Gawn (10Pcs), Disposable bed sheet (100 pcs), Medical nitrile gloves (3 box of 100 Pcs), surgical scalpel size 22 (1 pack of 100), Adhesive non woven wound dressing 10 m x 15 cm Roll(2 roll), Delivery kit (10 Pcs) | EA | 1 |
| 50 | Emergency stretcher. Folding Stretcher for Medical Emergency Rescue, Portable Ambulance Stretcher can support up to 120 kg. with multi-layered chest and leg belt design to ensure that the patient remains secure during transfer. Made from Aluminum-alloy material and extra thick PVC sheet which is s strong and durable, fireproof and waterproof. | Single unit | 1 |
| 51 | Supply and installation of 12000 BTU Air Conditioner for the clinic | EA | 1 |

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

| | | |
|-----------------|----------------------------------|-------------------------------------|
| Name of Bidder: | Click or tap here to enter text. | |
| RFQ reference: | 4200765729 | Date: Click or tap to enter a date. |

VENDOR INFORMATION SHEET¹

Please attach the latest vendor information sheet to be filled in and signed by the vendor

BIDDER'S DECLARATION OF CONFORMITY²

| Yes | No | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I hereby represent and warrant that neither the Supplier, nor any person having powers of representation, decision-making or control over it or any member of its administrative, management or supervisory body, has been the subject of a final judgement or final administrative decision for one of the following reasons: bankruptcy, insolvency or winding-up procedures; breach of obligations relating to the payment of taxes or social security contributions; grave professional misconduct, including misrepresentation, fraud; corruption; conduct related to a criminal organisation; money laundering or terrorist financing; terrorist offences or offences linked to terrorist activities; child labour and other trafficking in human beings, any discriminatory or exploitative practice, or any practice that is inconsistent with the rights set forth in the Convention on the Rights of the Child or other prohibited practices; irregularity; creating or being a shell company. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier is financially sound and duly licensed. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier has adequate human resources, equipment, competence, expertise and skills necessary to complete the contract fully and satisfactorily, within the stipulated completion period and in accordance with the relevant terms and conditions. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier complies with all applicable laws, ordinances, rules and regulations. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier will in all circumstances act in the best interests of IOM. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that no official of IOM or any third party has received from, will be offered by, or will receive from the Supplier any direct or indirect benefit arising from the contract. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier has not misrepresented or concealed any material facts during the contracting process. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier will respect the legal status, privileges and immunities of IOM as an intergovernmental organization. |

¹ [Vendor Information Sheet.xlsx](#)

² This form is mandatory to fill in and sign by every vendor who submits quotation

| Yes | No | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that neither the Supplier nor any persons having powers of representation, decision-making or control over the Supplier or any member of its administrative, management or supervisory body are included in the most recent Consolidated United Nations Security Council Sanctions List (the “UN Sanctions List”) or are the subject of any sanctions or other temporary suspension. The Supplier will immediately disclose to IOM if it or they become subject to any sanction or temporary suspension. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier does not employ, provide resources to, support, contract or otherwise deal with any person, entity or other group associated with terrorism as per the UN Sanctions List and any other applicable anti-terrorism legislation. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that, the Supplier will apply the highest ethical standards, the principles of efficiency and economy, equal opportunity, open competition and transparency, and will avoid any conflict of interest. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I further represent and warrant that the Supplier undertakes to comply with the Code of Conduct, available at https://www.unhcr.org/Public/CodeOfConduct . |
| <input type="checkbox"/> | <input type="checkbox"/> | It is the responsibility of the Supplier to inform IOM immediately of any change to the information provided in this Declaration. |
| <input type="checkbox"/> | <input type="checkbox"/> | On behalf of the Supplier, I certify that I am duly authorized to sign this Declaration and on behalf of the Supplier I agree to abide by the terms of this Declaration for the duration of any contract entered into between the Supplier and IOM. |
| <input type="checkbox"/> | <input type="checkbox"/> | IOM reserves the right to terminate any contract between IOM and the Supplier, with immediate effect and without liability, in the event of any misrepresentation made by the Supplier in this Declaration. |

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

| | | |
|-----------------|----------------------------------|-------------------------------------|
| Name of Bidder: | Click or tap here to enter text. | |
| RFQ reference: | 4200765729 | Date: Click or tap to enter a date. |

Detailed description of expiry date, brand, dosage form and concentration of the pharmaceuticals is MANDATORY, sample pictures are advantages.

| Currency of the Quotation: USD | | | | | |
|--------------------------------|--|-------------|-----|------------|-------------|
| INCOTERMS: DAP | | | | | |
| Item No | Description | Unit | Qty | Unit price | Total price |
| 1 | Portable Semi automatic AED with ECG monitoring , LCD display with both adult and pediatric pads. and CPR help-function.CE / FDA Approved | Single unit | 1 | | |
| 2 | Adjustable hydraulic Rolling swivel patient stool with backrest. | Single unit | 1 | | |
| 3 | Clinic chair (lacquered stool chrome-plated steel frame, with upholstered seat and back, Load capacity 120 kg. Seat height 46 cm. Seat depth 42.5 cm. | Single set | 4 | | |
| 4 | Hospital double foot step with Anti Slippery Rubber Coating. Dimension 45 x 43 x 35 Centimeters | Single unit | 2 | | |
| 5 | IV poles/stand, stainless steel 4 hook IV poles with 4 wheels | Single unit | 2 | | |
| 6 | Durable Crutches with Underarm Pad and Hand Grip capable of supporting up to 120 KG.Height adjusts easily via the underarm tube and leg tub | Single pair | 2 | | |
| 7 | LED Examination Lamp. LED light 80HF 8w ,Arm compensated by internal springs , with located on the focus ,Cable length of 150cm ,White PVC base of 65cm with five rolling wheels of 45mm, three of them with brakes ,Dimensions at least 65x65x125-190cm | Single unit | 1 | | |
| 8 | Led X-ray illuminator/x-ray viewer, electrical power supplied. Double Panel ,Size 60 cm x40 cm | Single unit | 1 | | |

| | | | | | |
|----|---|-------------|----|--|--|
| 9 | Weight and height scale for infants with LCD display .Replaceable battery powered device(smooth surface with a curved platform, displayed Kilograms (kg), and Pounds (lb), weight capacity 5 g - 20 kg together optimally would have a built in height rod. | Single unit | 1 | | |
| 10 | Good quality adult Digital weight and height scale with weight capacity and readability 250 kg, and height capacity from 60cm to 220 cm. preferably SECA or equivalent | Single unit | 1 | | |
| 11 | Medical Storage cabinet of Aluminum or stainless steel metal with two doors and multiple shelves inside with lock , Dimensions 185 cm X100 cm X45cm | Single set | 1 | | |
| 12 | Minor surgical kit. All tools are made from high-grade surgical stainless steel (TC Olsen Hager Needle Holder 5.5" (14cm)+ TC Mayo Scissors 5.5" (14cm) +Kelly Forceps 5.5" (14cm) Straight+Kelly Forceps 5.5" (14cm) Curved+Adson Forceps 4.75" (12cm)+Adson Forceps 1x2 Teeth 4.75" (12cm)+Mosquito Forceps 5" (12.5cm) Straight+Mosquito Forceps 5" (12.5cm) Curved+Iris Scissors 4.5" (11.4cm)+Spencer Scissors 4.5" (11.4cm)+Dressing Forceps 6.25" (16cm)+Scalpel Handle # 3+Scalpel Handle # 4 | EA | 1 | | |
| 13 | Adjustable examination bed. Size: 190 cm L X W 68 cm X H 46 cm preferably with adjustable height, and head incline, with paper roll holder . | Single Unit | 2 | | |
| 14 | Privacy screen section - Folding Privacy hospital Screen with 4 Steel Frames and swivel castors 72cm(H) x 312cm(W) , 38cm(D) Across Legs | Single set | 2 | | |
| 15 | Swivel Doctor Office chair. Rotary Soft Seat Chair with armrest, with, Seat height adjustment, Padded seat and covered with a leatherette cover. Dimension H x W x D: 117.0 x 58.0 x 48.0 cm. capacity to 120 kg. | Single set | 1 | | |
| 16 | Disposable Sharp bin container (7 L) | EA | 15 | | |
| 17 | Biohazard Bags 10 L | Roll of 10 | 20 | | |
| 18 | illuminated Snellen Eye box, Eye Charts for Eye Exams | Single set | 1 | | |
| 19 | Portable cool Box 35 Liter with 4 Ice pack gel 500 ml. | Single set | 1 | | |

| | | | | | |
|----|---|-------------|---|--|--|
| 20 | White doctor's coat -Size XX-Large Made of cotton medical white coat with pockets and IOM logo printed on top pocket. | Single unit | 2 | | |
| 21 | White doctor's coat -Size X-Large Made of cotton medical white coat with pockets and IOM logo printed on top pocket. | Single unit | 1 | | |
| 22 | Wooden Office desk with 3 Drawer Mobile File Cabinet. Dimension : W 150cm x D 70cm x H 75cm. | Single unit | 1 | | |
| 23 | Medical utility trolley table - stainless steel Size (60*40*86cm) preferable with one drawer | Single unit | 1 | | |
| 24 | Wheel chair- Standard Manual wheelchairs with Foldable frame, armrest, back support, Swing type footrest, Seat width 24 x 11 x 32 inches. Solid tyre | Single unit | 1 | | |
| 25 | Aneroid Sphygmomanometer. Manual blood pressure measurement device with removable adult sized cuff and children sized blood pressure measurement cuff CE/FDA approved. Preferably riester or equivalent | Single unit | 1 | | |
| 26 | Clinically validated digital Sphygmomanometer replaceable battery powered device with digital screen with different cuff size adult and children size, Irregular heartbeat detection, CE / FDA Approved. preferably Riester or Equivalent . | Single unit | 1 | | |
| 27 | Digital thermometer, Oral Thermometer reading within 30 second. Measurement range 32 °C - 42 °C | EA | 4 | | |
| 28 | Disposable Adults manual resuscitator PVC . Standard expiratory outlet to attach the PEEP valve (5-20 cmH2O).Resuscitator bag of 1,700 mL.Oxygen reservoir bag of 2,500 mL and reservoir valve.VC face mask no. 6. .Oxygen extension tube. Guedell cannula no. 3 and no.5. | Single unit | 2 | | |
| 29 | Dispoable manual Ambu bag PVC, set, self-inflating bag with reservoir and mask (Pediatric). Recommended for use in children weighing between 7-30 Kg. Standard expiratory outlet to attach the PEEP valve (2-10 cmH2O). Built-in safety valve. Resuscitator bag of 750 mL. Oxygen reservoir bag of 2,500 mL and reservoir valve. Self-sealing PVC face mask no. 3. Child adult valve. Oxygen extension tube. Guedell cannula no. 1 and no. 3. | Single unit | 1 | | |
| 30 | Reusable elastic Nylon tourniquet with quick release system | Single unit | 4 | | |

| | | | | | |
|----|--|-------------|---|--|--|
| 31 | Examination specula- Disposable single use Ear Specula for universal use with the available otoscope | Pack of 100 | 2 | | |
| 32 | Trolley, Emergency Medical Trolley. Versatile cart featuring five or six spacious drawers, constructed with a blend of aluminum and epoxy-coated steel. Equipped with a side push handle, a sturdy ABS base, and drawers that close automatically. Includes an ID card slot, 100mm wheels for smooth mobility (two of which are lockable), and telescopic slides with automatic closing functionality. | Single unit | 1 | | |
| 33 | Emergency backpack with multiple in front , side and interior pockets , dimensions L65 cm x W35 cm x H 55 cm . Capacity of 45 Liter. | Single set | 1 | | |
| 34 | Glucometer with glucose test strips-Digital device with battery , lancets , lancet pin , | Single Unit | 2 | | |
| 35 | ECG12-channel electrocardiograph, equipped with a full alphanumeric keyboard featuring excellent functional one-touch operation keys. It features a 8.4" LCD display with two screen type options. CE / FDA Approved . With 10 paper roll. | Single unit | 1 | | |
| 36 | Laryngoscope Set. MacIntosh Conventional Standard Laryngoscope Configurations of 3 blades and battery handles in impact-resistant cases | Single unit | 1 | | |
| 37 | Measuring tape Retractable -measurement tape with metric measurement at least 150 cm length | Single unit | 2 | | |
| 38 | Professional LED diagnostic penlight | Single Unit | 4 | | |
| 39 | Ophthalmoscope LED HQ ,Aspherical optical system , Aluminum frame system, 28 Lenses ,74 single diopter steps Eliminates corneal reflex Ideal for small pupils ,Dustproof | Single set | 1 | | |
| 40 | "Otoscope. 2.7V vacuum lamp. Removable magnifying lens with 2.5x magnification, Simple bulb replacement at the base of the instrument head, Screw fitting for secure attachment to the handle Supplied in a sturdy nylon pouch" | Single set | 1 | | |

| | | | | | |
|----|--|------------------------|----|--|--|
| 41 | Portable Oxygen Concentrator. Flow rate: 10 LPM in 1 liter increments. alarm indicators: High system pressure, Low system pressure, Power failure, Low oxygen level. Highly durable casters designed to withstand rigorous usage. Up to 96% oxygen concentration in the range of 2 - 10 LPM. 2Operating Voltage 230V/60Hz. | Single set | 1 | | |
| 42 | Glucometer test strips | Pack of 50 test strips | 8 | | |
| 43 | Adult oxygen Mask | EA | 20 | | |
| 44 | Pediatric oxygen Mask | EA | 20 | | |
| 45 | High quality Stethoscope. Dual-head Stethoscope, adult and pediatric size bells, light weight, soft-sealing eartips) Acoustic Chrome-plated binaural metal with diaphragm & cone and non-chill large bell | Single unit | 2 | | |
| 46 | Finger Pulse oximeter for adults-adult battery powered \with display. | Single unit | 1 | | |
| 47 | Pulse oximeter for children .Battery powered portable pediatric pulse oximeter with Shows real time Pulse Rate, Pulse Rate Bar and SpO2 level. Preferably Hand held huntleigh brand or equivalent with pediatric sensor. | EA | 1 | | |
| 48 | Three Seaters stainless steel waiting chair. Lacquered steel frame, with upholstered back Size1800*630*800mm. | Single unit | 2 | | |
| 49 | Dressing kits each contain:,Guaze Roll 500g (2 roll),Cotten Roll 500mg (2 roll), (Sterile gauze swab 10 cmX10cm (5box of 100 pcs), surgical face mask (3pack of 50 cs) Betadine 10% solution (4 bottle of 100 ml), Sterile surgical Gawn (10Pcs), Disposable bed sheet (100 pcs), Medical nitrile gloves (3 box of 100 Pcs), surgical scalpel size 22 (1 pack of 100), Adhesive non woven wound dressing 10 m x 15 cm Roll(2 roll), Delivery kit (10 Pcs) | EA | 1 | | |

| | | | | | |
|--|--|-------------|---|--|--|
| 50 | Emergency stretcher. Folding Stretcher for Medical Emergency Rescue, Portable Ambulance Stretcher can support up to 120 kg. with multi-layered chest and leg belt design to ensure that the patient remains secure during transfer. Made from Aluminum-alloy material and extra thick PVC sheet which is s strong and durable, fireproof and waterproof. | Single unit | 1 | | |
| 51 | Supply and installation of 12000 BTU Air Conditioner for the clinic | EA | 1 | | |
| Total Price | | | | | |
| Transportation Price | | | | | |
| Insurance Price | | | | | |
| Installation Price | | | | | |
| Training Price | | | | | |
| Other Charges (specify) | | | | | |
| Total Final and All-inclusive Price | | | | | |

Compliance with Requirements

| | You Responses | | |
|--|--------------------------|--------------------------|--|
| | Yes, we will comply | No, we cannot comply | If you cannot comply, pls. indicate counter proposal |
| Minimum Technical Specifications | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |
| Delivery Term (INCOTERMS) | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |
| Delivery Lead Time | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |
| Warranty and After-Sales Requirements | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |
| Validity of Quotation | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |
| Payment terms | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |
| Other requirements <i>[pls. specify]</i> | <input type="checkbox"/> | <input type="checkbox"/> | Click or tap here to enter text. |

Other Information:

| | |
|--|----------------------------------|
| Estimated weight/volume/dimension of the Consignment: | Click or tap here to enter text. |
| Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i> | Click or tap here to enter text. |

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

Exact name and address of the company

Company Name Click or tap here to enter text.

Address: Click or tap here to enter text.

Click or tap here to enter text.

Phone No.: Click or tap here to enter text.

Email Address: Click or tap here to enter text.

Authorized Signature:

Date: Click or tap here to enter text.

Name: Click or tap here to enter text.

Functional Title of Authorised

Signatory: Click or tap here to enter text.

Email Address: Click or tap here to enter text.