

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: 4200565521

Date: 18 December 2023

SECTION 1: REQUEST FOR QUOTATION (RFQ) Procurement of medical equipment and supplies for medical teams and 3 health facilities and in Derna.

International Organisation for Migration (IOM) kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter.

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Approved by:

Name: Procurement Team

Title: Libya Procurement Team

Date: 18 December 2023

SECTION 2: RFQ INSTRUCTIONS AND DATA

Deadline for the Submission of Quotation	04 Jan 2024 If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/ .
Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input type="checkbox"/> E-tendering <input checked="" type="checkbox"/> Email <input type="checkbox"/> Courier / Hand delivery <input type="checkbox"/> Other</p> <p>Bid submission address: iomlibyaproposal@iom.int</p> <ul style="list-style-type: none"> ▪ File Format: PDF ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 25MB ▪ Mandatory subject of email: 4200565521_Company name ▪ Multiple emails must be clearly identified by indicating in the subject line “email no. X of Y”, and the final “email no. Y of Y”. ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible. ▪ The proposer should receive an email acknowledging email receipt.
Cost of preparation of quotation	IOM shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of Conduct	All prospective suppliers must read the UN Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: Supplier Code of Conduct (ungm.org) .
Conflict of Interest	UN encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UN if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.
General Conditions of Contract	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the IOM General Conditions of Contract for provision of goods/services/transportation/medical services available at https://www.iom.int/do-business-us-procurement .
Eligibility	Local bidders registered in Libya have the legal capacity to enter into a binding contract with IOM and Should have Libyan license and registration (MoH).
Currency of Quotation	Quotations shall be quoted in USD
Duties and taxes	<p>The International Organization for Migration is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices shall:</p> <p><input type="checkbox"/> be inclusive of VAT and other applicable indirect taxes. <input checked="" type="checkbox"/> be exclusive of VAT and other applicable indirect taxes</p>

Language of quotation and documentation including catalogues, instructions, and operating manuals	English
Documents to be submitted	Bidders shall include the following documents in their quotation: <input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed. <input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1 <input type="checkbox"/> Other
Quotation validity period	Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Partial Quotes	<input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted
Payment Terms	<input checked="" type="checkbox"/> 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation. <input type="checkbox"/> Other
Contact Person for correspondence, notifications and clarifications	Focal Person: Procurement Team E-mail address: iomlibyaproposal@iom.int
Clarifications	Requests for clarification from bidders will not be accepted any later than 4 days before the submission deadline. Responses to request for clarification will be communicated through email by 24 December 2023
Evaluation method	<input checked="" type="checkbox"/> The contract will be awarded to the lowest price substantially compliant offer. <input type="checkbox"/> Other
Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Comprehensiveness of after-sales services <input checked="" type="checkbox"/> Earliest Delivery /shortest lead time <input checked="" type="checkbox"/> Others <i>-Eligible Interested vendors and suppliers who will pass the vendor eligibility could be asked to present a physical sample delivered to IOM-Libya office (Hal Al Kuwait , Janzour)</i>
Right not to accept any quotation	IOM is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, IOM reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum 40% of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	Purchase Order
Expected date for contract award.	01 February 2024
Policies and procedures	This RFQ is conducted in accordance with Policies and Procedures of IOM
UNGM registration	IOM is encouraging all suppliers to register at the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award of USD 100,000 and above, the Bidder is recommended to register on the UNGM prior to contract signature. For vendors who do not have the technical means to

	register in UNGM, the UNGM has implemented an assisted vendor registration functionality that allows IOM procurement personnel to add local vendors to the UNGM.
Samples	Where required as per Section 5: Schedule of Requirements, free, non-returnable samples shall be provided by the bid submission deadline for evaluation and testing by IOM or their representative, of the item and/or the packing and packaging, prior to any award. Samples will be subject to technical review and laboratory analysis where appropriate. Samples provided to IOM are non-returnable unless otherwise stated. Samples should be marked with the ITB number. If a bidder fails to provide samples or documents requested by IOM in a timely manner, IOM may declare the bid unsuccessful.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods:

No	Description	Unit	Total Qty
1	Glucometer -Digital device with battery, lancets , lancet pin , and 50 test strips (Accu check)	Piece	9
2	Glucometer test strips (Accu check)	Pack of 50	60
3	Otoscope Super Quality Otoscope Set with handle, otoscope head (optical quality glass lenses), several different sizes of reuseable specula and Protective Zippered Case. .	Piece	6
4	Aneroid Sphygmomanometer- Adult Upper arm manual aneroid , metal with an aluminium housing and simple tube, with single cuff	Piece	9
5	Good Quality Clinically Validated Automatic Blood Pressure Monitor, pulse rate, replaceable battery powered device with digital screen and Adjustable Cuff (Reister)	Piece	3
6	Stethoscope - Acoustic Chrome-plated binaural metal with diaphragm and non-chill large bell (Littman/Reister original/Erka)	Piece	12
7	Ophthalmoscope - LED HQ ,Aspherical optical system , Aluminium frame system, 28 Lenses ,74 single diopter steps.Eliminates corneal reflexIdeal for small pupils ,Dustproof	Piece	6
8	Adult weighing scale Max.weighing:180kgs,Scale division (d):100g,Height range to be measured: 70-190cm,Min. value of height per division: 0.5cm,Size of packing box: 815/895x465x265mm,Load platform area (LxW):375x270mm,Measurement (LxWxH):570x437x1317mm,	Piece	3
9	Medical Flahlight pen light Made of high-quality anodized aluminum, Button for interval or permanent operation,Fine thread for bulb replacement,Spatula mount as accessory,Standard battery	Piece	20
10	X-ray screen viewer (Single) , light source: LED; minimum frame dimensions: (L x H x T) 880 x 503 x 29 mm	Piece	3

11	IV STAND on 5 wheels stainless steel 2-4 hooks	Piece	6
12	Digital thermometer, Oral Thermometer reading within 30 second. Measurement range 32 °C - 42 °C.	Piece	9
13	Privacy screen section - Folding Privacy hospital Screenh wit 4 Steel Frames and swival castors 72cm(H) x 312cm(W) , 38cm(D) Across Legs	Piece	6
14	Portabel handheld Pulse oximeter Shows real time Pulse Rate, Pulse Rate Bar and SpO2 level	Piece	6
15	Wheel chair- Standard Manual wheelchairs with Foldable armrest ,Swing type footrest, Seat with solid tyre, width 24 x 11 x 32 inches.	Piece	6
16	Poratable AED (defibrillator) with illuminated monitor -ECG display, instructions in text form, measured values.switches to a pediatric mode with reduced energy.CPR guidance even during charging phase to ensure optimal patient care and minimize no-flow time.stepless adjustment of the delivered energy to each patient with escalating energy levels up to 360 J in case of possibly necessary multiple defibrillation	Piece	3
17	Digital infant weight scale with display Capacity Max.: 20KG g, Min.: 100 g transportable - Large LCD display. replaceable battery powered device. Diminsion 32.5cm x55cm x 3.5cm	Piece	2
18	Multi-function trolley with 5 drawers. Aluminum and epoxy steel coating structure. Lateral push handle.High impact ABS base.Drawers with automatic shutting system.Identification card holder, 100mm rolling wheels, two with brakes.Telescopic slides with automatic shutting system	Piece	3
19	Multiparameters in-patient monitor.12.1" Patient MonitorECG (3/5), SpO2, NiBP, Resp, Temp (2)Each base configuration is supplied with:1 x 5 Way ECG cable (IEC) - ADU / PED, or 1 x 3 WayNEO cable (IEC) IPP1 x NiBP cuff set (3) - ADU, PED or NEO1 x NiBP Hose (3M)1 x SpO2 sensor - ADU, PED or NEO1 x Temp sensor - ADU, PED or NEO1 x Grounding cable1 x Power cord1 x Instructions for use	Piece	3
20	CTG machine. Cardiotocograph (CTG) system for antepartum foetal and maternal monitoring. Capable of external monitoring of foetal heart rate (FHR) and maternal uterine activity (UA). Alphanumeric display shows FHR1, FHR2 and UCs and alarms.Automatically detects transducers when they are plugged in. Includes remote switch for event marking. Automatic self-test on power up. System reports with status and alarms. Power requirements: 100 - 240 Volts - 50/60 Hz. with 10 papper rolls	Piece	3
21	Adult weighing scale Max.weighing:180kgs,Scale division (d):100g,Height range to be measured: 70-190cm,Min. value of height per division: 0.5cm,Size of packing box: 815/895x465x265mm,Load platform area	Piece	3

	(LxW):375x270mm,Measurement (LxWxH):570x437x1317mm,		
22	LED Examination Lamp. Portable and mobile stand type. Focus concentration. Arm extendable to 95 cm allows an ample turn around.Light source: LED 8W 24°. Mounted on 5-trays base with swivel castors; load.	Piece	3
23	Examination bed made from epoxy coated white frame stainless steel, leather upholstery with high density foam padding .Single hand operated adjustable back restProvision	Piece	4
24	Portable Oxygen Concentrator. Flow rate: 10 LPM in 1 liter increments.larm indicators: High system pressure, Low system pressure, Power failure, Low oxygen level.Highly durable casters designed to withstand rigorous usage. Up to 96% oxygen concentration in the range of 2 - 10 LPM. 2Operating Voltage 230V/60Hz	Piece	6
25	Benchtop Clinical diagnostic HbA1c analyzer with reagent sufficient for 300 test. Measurement Range - 4-15% Test Time - Total about 5 minutes Sample Size - 5 µL Sample Type - Fresh whole blood (Capillary and Venous) Power Source - AC Adapter (100-240V AC, 50/60Hz) Memory - 500 memories Analyzer Connectors - USB cable for Data Transfer	Piece	3
26	Compact, easy-to-use diagnostic immuno-analyzer to measure the presence of various biomarkers for hormones, infectious diseases, autoimmune diseases, and metabolic diseases. Up to 30 tests/hour. 276 x 220 x 91 mm /1.3 kgs in weight, 100 – 240V AC, 50-60Hz, Internal & external battery. QC/Calibration: System check cartridge Internal & external controls.interface : 7” touch screen Built-in thermal printer USB port / Ethernet / SD card slot.Supplied With 50 test for each for the following test Paramter: CRP-TSH-T4-D-dimer-Vit D-Ferritin-PSA - RF IgM-ASO	Piece	3
27	Professional Good quality Binocular laboratory microscope. Objectives 4X, 10X, 40X, 100XR . With Cedar wood oil (100 ml) for the oil immersion lenses + 1 pack of 100 Microscope slides, 75 x 25 mm,	Piece	4
28	Multivolume adjustable micropipette (20-200ul)	Piece	4
29	Multivolume adjustable micropipette 500ul	Piece	4
30	Good quality benchtop Laboratory centrifuge. Multipurpose (with blood, urine, cell/tissue culture, plates or cytology) centrifuge can accept either an 8x15 mL fixed angle rotor or a 6x50 mL fixed angle rotor. There are also adapters available for 5,7 and 10 mL tubes. The digital display allows users to view either RPM or RCF as well as time. Digital Variable Speed controller can spin from between 300-4,500 RPMs	Piece	3
31	Autoclave Sterilizer, Stem Autoclave 16 L with 3 sterilization Basket container made of stainless steel specifications: 2 sterilization cycles: possibility of choosing two cycles at 134°C or 121°C. Fully automatic preheating,	Piece	3

	sterilization and drying phases. Closure system with operator safety pin. Thermodynamic system for expelling “cold” air sockets. Chamber made entirely of stainless steel, with band-type heating element to guarantee even heating. with 4 aluminum trays. EA		
32	Compressed nebulizer Efficient Nebulization Rate of 0.3ml-0.4ml/min 3 Micro M Particle Size to reach lower airway for effective nebulization Medication Capacity 7ml-12ml Complete accessories including nebulizer kit, adult and child mask, mouthpiece, nosepiece, air tube, spare air filters, and quick start guide., Operating Air Flow Rate 3.5 L/Min	Piece	3
33	Laryngoscope Complete Laryngoscope Sets Miller or Macintosh blades and each set including three blade sizes for maximum patient accommodation spanning from pediatrics to adults, straight or curved Configurations of 3 blades and battery handles in impact-resistant cases -	Piece	3
34	Manual resuscitator set for adult. Transparent case for resuscitator (polypropilene)O2 reservoir bag 2500 ml.for Revivator adults. Guedell Airway n° 3 , Guedell Airway n° 5, Reservoir valve O2	Piece	6
35	Manual resuscitator set for children. Transparent case for resuscitator (polypropilene)O2 reservoir bag 2500 ml.for children Guedell Airway n° 1Guedell Airway n° 3 Reservoir valve O2	Piece	6
36	Minor surgical kit. All tools are made from high-grade surgical stainless steel (TC Olsen Hager Needle Holder 5.5" (14cm)+ TC Mayo Scissors 5.5" (14cm) +Kelly Forceps 5.5" (14cm) Straight+Kelly Forceps 5.5" (14cm) Curved+Adson Forceps 4.75" (12cm)+Adson Forceps 1x2 Teeth 4.75" (12cm)+Mosquito Forceps 5" (12.5cm) Straight+Mosquito Forceps 5" (12.5cm) Curved+Iris Scissors 4.5" (11.4cm)+Spencer Scissors 4.5" (11.4cm)+Dressing Forceps 6.25" (16cm)+Scalpel Handle # 3+Scalpel Handle # 4	Piece	3
37	Dressing set, 8 pieces. One Instrument tray with lid 25 x 30 x 6.2 cm.one Kidney Dish 20 cm.one Dressing Forceps (Thumb) - 16 cm.One Mayo scissors - straight - 15 cm. One Rampley sponge holding forceps 18 cm. one English TOE dissecting forceps.one Kocher artery forceps - straight - 16 cm. one Gillipot J-type capacity 300 ml x 95 mm diameter ,10 oz	Piece	1
38	Dressing Trolley - 4 Drawers. Tubular structure completely made of AISI 304 stainless steel with built-in push handles Worktop is made of stainless steel with raised rim and 4 drawers made of AISI 304 stainless steel with grey plastic handles, sliding on telescopic rails. Base on 4 thermoformed swivel castors, 2 are lockable. 4 PVC non-marking rubber bumpers. Equipped with: - stainless steel waste bin	Piece	3
39	Hospital Bed With Mattress . Manual fowler bed, 2 Function. Size Length 2050mm x Width 900mm x Height	Piece	2

	500 mm; 1 Function , Backrest and Leg rest adjustment manually ,Head & Leg bows made of CRCA tubes ,4 section Bed Board in 20 SWG CRCA Strips/ 18 SWG CRCA Tube Frame. 4 IV Pole provision		
40	Padded Phlebotomy Chair with Arms.The chair is constructed with welded, powder-coated frame and high-density foam upholster padded seat	Piece	1
41	Hand-held Vascular Doppler Ultrasound Frequency: 8MHz Probe, Display shows blood flow direction and relative frequency of the signal.USB to transmit the data to computer, LCD Display: 65mm*50mm	Piece	3
42	ECG12-channel electrocardiograph, equipped with a full alphanumeric keyboard featuring excellent functional one-touch operation keys. It features a 8.4" LCD display with two screen type options. With 10 paper roll	Piece	1
43	IV Cannula , 18G (Green)	Single unit	300
44	IV Cannula , 22G (Blue)	Single unit	1500
45	IV Cannula , 20G (Pink)	Single unit	1500
46	Alcohol medical swab	Pack of 100 Swab	300
47	Alcohol solution 75%. Hand rub	Bottle of 5 L	300
48	Cotton Roll 500g	Roll	375
49	Gauze Roll 500	Roll	150
50	Disposable Bed sheet	EA	1200
51	Sterile Wooden Tongue depressor	Pack of 100	300
52	Urine collection bag 2000ml	Singel set	300
53	Surgical reinforced surgical gown	Singel Unit	900
54	Elastic Crepe Bandages 10 cm X 4m	Roll	3000
55	Non Sterile Gauze Pads 7.5cm X 7.5cm	Pack of 100 Pad	750
56	Sterile Guaze Swabs 10 cm x 10 cm	Pack of 100 Swab	600
57	Syringe, 3ml, Sterile with detached needle, 21Gx1 1/2" (0.80 x 40mm),	Singel Unit	900
58	Syringe,insulin,1ml, U-100,30-31G	Singel Unit	3000
59	Parafine Dressing Gauze 10cm X10 cm	Pack of 10	300
60	Syringe, 10ml, sterile, with detached (bi-packed / mounted) needle , 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	9000
61	Syringe, 5ml, sterile, with detached (bi-packed / mounted) needle, 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syinge	9000

62	Nitrile Examination Gloves Size L	Box of 100	405
63	Surgical Face masks with elastic earloop	Pack of 50	300
64	Sterile Surgical Blades	Pack of 100 Blade	120
65	Catheter, Foley, CH16, sterile	Singel unit	300
66	Adhesive non woven wound dressing 10 m x 15 cm	Roll	375
67	Biohazard Bags 10 Liter	Roll of 10 Pieces	300
68	Infusion Set	Singel unit	1875
69	Disposable Vaginal speculum size large	Singel unit	300
70	Adult Oxygen Mask	Singel unit	300
71	Pediatric Oxygen Mask	Singel unit	150
72	Nebulizer Masks (Adult size)	Singel unit	180
73	Nebulizer Masks (Pediatric size)	Singel unit	180
74	povidone iodine 10% solution	1000 ml bottle	90
75	Emergency bag has equipments required for intubation one laryngoscope , 12 Endotracheal tubes all sizes , 30 syrniges 10cc , 30 IV canulas green , blue , pink , IV sets , one hemostatic packs	Piece	4
76	Medical Backpack with multiple Pouches, Durable and Reliable Construction and ample storage capacity. Capacity 35 L. Dimension : L x W x H = 37x55x 30 CM.	Piece	4
77	Good Quality Clinically Validated Automatic Blood Pressure Monitor, pulse rate, replaceable battery powered device with digital screen and Adjustable Cuff (Reister)	Piece	4
78	Stethoscope - Acoustic Chrome-plated binaural metal with diaphragm and non-chill large bell (Littman/Reister orginal/Erka)	Piece	4
79	Ophthalmoscope - LED HQ ,Aspherical optical system , Aluminium frame system, 28 Lenses ,74 single diopter steps.Eliminates corneal reflexIdeal for small pupils ,Dustproof	Piece	4
80	Otoscope Super Quality Otoscope Set with handle, otoscope head (optical quality glass lenses), several different sizes of reuseable specula and Protective Zippered Case. .	Piece	4
81	Glucometer -Digital device with battery , lancets , lanncet pin , and 50 test strips (Accu check)	Piece	4
82	Finger Pulse oximeter Portable Digital Reading LED Display	Piece	4
83	Digital thermometer, Oral Thermometer reading within 30 second. Measurement range 32 °C - 42 °C.	Piece	4
84	Medical Flahlight pen light Made of high-quality anodized aluminum, Button for interval or permanent operation,Fine thread for bulb replacement,Spatula mount as accessory,Standard battery	Piece	8
85	Poratable AED (defibrillator) with illuminated monitor -ECG display, instructions in text form, measured values.switches to a pediatric mode with reduced energy.CPR guidance	Piece	2

	even during charging phase to ensure optimal patient care and minimize no-flow time. stepless adjustment of the delivered energy to each patient with escalating energy levels up to 360 J in case of possibly necessary multiple defibrillation		
86	Alcohol medical swab	Pack of 100 Swab	12
87	Alcohol solution 75%. Hand rub	Bottle of 5 L	20
88	Cotton Roll 500g	Roll	15
89	Sterile Wooden Tongue depressor	Pack of 100	30
90	Elastic Crepe Bandages 10 cm X 4m	Roll	400
91	Non Sterile Gauze Pads 7.5cm X 7.5cm	Pack of 100 Pad	100
92	Sterile Guaze Swabs 10 cm x 10 cm	Pack of 100 Swab	100
93	Syringe, 3ml, Sterile with detached needle, 21Gx1 1/2" (0.80 x 40mm),	Singel Unit	300
94	Syringe, insulin, 1ml, U-100, 30-31G	Singel Unit	300
95	Parafine Dressing Gauze 10cm X10 cm	Pack of 10	30
96	Syringe, 10ml, sterile, with detached (bi-packed / mounted) needle, 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	300
97	Syringe, 5ml, sterile, with detached (bi-packed / mounted) needle, 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	300
98	Nitrile Examination Gloves Size L	Box of 100	60
99	Surgical Face masks with elastic earloop	Pack of 50	60
100	Sterile Surgical Blades	Pack of 100 Blade	4
101	Adhesive non-woven wound dressing 10 m x 15 cm	Roll	60
102	Biohazard Bags	Roll of 10 Piece	12
103	Infusion Set	Singel unit	125
104	povidone iodine 10% solution	1000 ml bottle	12

Delivery Requirements

Delivery Requirements	
Delivery date and time	Bidder should address their delivery on ANNEX 3
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	IOM office Tripoli.
Distribution of shipping documents (if using freight forwarder)	N/A
Packing Requirements	As per information provided on above table
Training on Operations and Maintenance	N/A
Warranty Period	-All Medicines must have min 18 Months Shelf life; expiration date must exceed 18 months at the date of delivery. -All Medical equipment must have at least 1-year warranty.
After-sales service and local service support requirements	N/A
Preferred Mode of Transport	Land
Other information	N/A

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:		
RFQ reference:	4200565521	Date:

BIDDER'S DECLARATION OF CONFORMITY¹

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I hereby represent and warrant that neither the vendor, nor any person having powers of representation, decision-making or control over it or any member of its administrative, management or supervisory body, has been the subject of a final judgement or final administrative decision for one of the following reasons: bankruptcy, insolvency or winding-up procedures; breach of obligations relating to the payment of taxes or social security contributions; grave professional misconduct, including misrepresentation, fraud; corruption; conduct related to a criminal organisation; money laundering or terrorist financing; terrorist offences or offences linked to terrorist activities; child labour and other trafficking in human beings, any discriminatory or exploitative practice, or any practice that is inconsistent with the rights set forth in the Convention on the Rights of the Child or other prohibited practices; irregularity; creating or being a shell company.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor is financially sound and duly licensed.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor has adequate human resources, equipment, competence, expertise and skills necessary to complete the contract fully and satisfactorily, within the stipulated completion period and in accordance with the relevant terms and conditions.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor complies with all applicable laws, ordinances, rules and regulations.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor will in all circumstances act in the best interests of IOM.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that no official of IOM or any third party has received from, will be offered by, or will receive from the vendor any direct or indirect benefit arising from the contract.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor has not misrepresented or concealed any material facts during the contracting process.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor will respect the legal status, privileges and immunities of IOM as an intergovernmental organization.

<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that neither the vendor nor any persons having powers of representation, decision-making or control over the vendor or any member of its administrative, management or supervisory body are included in the most recent Consolidated United Nations Security Council Sanctions List (the "UN Sanctions List") or are the subject of any sanctions or other temporary suspension. The vendor will immediately disclose to IOM if it or they become subject to any sanction or temporary suspension.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor does not employ, provide resources to, support, contract or otherwise deal with any person, entity or other group associated with terrorism as per the UN Sanctions List and any other applicable anti-terrorism legislation.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that, the vendor will apply the highest ethical standards, the principles of efficiency and economy, equal opportunity, open competition and transparency, and will avoid any conflict of interest.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I further represent and warrant that the vendor undertakes to comply with the Code of Conduct, available at https://www.ungm.org/Public/CodeOfConduct .
<input type="checkbox"/>	<input type="checkbox"/>	It is the responsibility of the vendor to inform IOM immediately of any change to the information provided in this Declaration.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the vendor, I certify that I am duly authorized to sign this Declaration and on behalf of the vendor I agree to abide by the terms of this Declaration for the duration of any contract entered into between the vendor and IOM.
<input type="checkbox"/>	<input type="checkbox"/>	IOM reserves the right to terminate any contract between IOM and the vendor, with immediate effect and without liability, in the event of any misrepresentation made by the vendor in this Declaration.

Signature: _____ Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

¹This form is mandatory to fill in and sign by every vendor who submits quotation.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:		
RFQ reference:	4200565521	Date:
Please send pictures as samples or provide full items details in text to evaluate your proposal		

No	Description	Unit	Total Qty	Price	Total price
1	Glucometer -Digital device with battery, lancets , lancet pin , and 50 test strips (Accu check)	Piece	9		
2	Glucometer test strips (Accu check)	Pack of 50	60		
3	Otoscope Super Quality Otoscope Set with handle, otoscope head (optical quality glass lenses), several different sizes of reuseable specula and Protective Zippered Case. .	Piece	6		
4	Aneroid Sphygmomanometer- Adult Upper arm manual aneroid , metal with an aluminium housing and simple tube, with single cuff	Piece	9		
5	Good Quality Clinically Validated Automatic Blood Pressure Monitor, pulse rate, replaceable battery powered device with digital screen and Adjustable Cuff (Reister)	Piece	3		
6	Stethoscope - Acoustic Chrome-plated binaural metal with diaphragm and non-chill large bell (Littman/Reister original/Erka)	Piece	12		
7	Ophthalmoscope - LED HQ ,Aspherical optical system , Aluminium frame system, 28 Lenses ,74 single diopter steps.Eliminates corneal reflexIdeal for small pupils ,Dustproof	Piece	6		
8	Adult weighing scale Max.weighing:180kgs,Scale division (d):100g,Height range to be measured: 70-190cm,Min. value of height per division: 0.5cm,Size of packing box: 815/895x465x265mm,Load platform area (LxW):375x270mm,Measurement (LxWxH):570x437x1317mm,	Piece	3		

9	Medical Flahlight pen light Made of high-quality anodized aluminum, Button for interval or permanent operation, Fine thread for bulb replacement, Spatula mount as accessory, Standard battery	Piece	20		
10	X-ray screen viewer (Single), light source: LED; minimum frame dimensions: (L x H x T) 880 x 503 x 29 mm	Piece	3		
11	IV STAND on 5 wheels stainless steel 2-4 hooks	Piece	6		
12	Digital thermometer, Oral Thermometer reading within 30 second. Measurement range 32 °C - 42 °C.	Piece	9		
13	Privacy screen section - Folding Privacy hospital Screenh wit 4 Steel Frames and swival castors 72cm(H) x 312cm(W) , 38cm(D) Across Legs	Piece	6		
14	Portabel handheld Pulse oximeter Shows real time Pulse Rate, Pulse Rate Bar and SpO2 level	Piece	6		
15	Wheel chair- Standard Manual wheelchairs with Foldable armrest ,Swing type footrest, Seat with solid tyre, width 24 x 11 x 32 inches.	Piece	6		
16	Poratable AED (defibrillator) with illuminated monitor -ECG display, instructions in text form, measured values.switches to a pediatric mode with reduced energy.CPR guidance even during charging phase to ensure optimal patient care and minimize no-flow time.stepless adjustment of the delivered energy to each patient with escalating energy levels up to 360 J in case of possibly necessary multiple defibrillation	Piece	3		
17	Digital infant weight scale with display Capacity Max.: 20KG g, Min.: 100 g transportable - Large LCD display. replaceable battery powered device. Diminsion 32.5cm x55cm x 3.5cm	Piece	2		
18	Multi-function trolley with 5 drawers. Aluminum and epoxy steel coating structure. Lateral push handle.High impact ABS base.Drawers with automatic shutting system.Identification card holder, 100mm rolling wheels, two	Piece	3		

	with brakes. Telescopic slides with automatic shutting system				
19	Multiparameters in-patient monitor. 12.1" Patient Monitor ECG (3/5), SpO2, NiBP, Resp, Temp (2) Each base configuration is supplied with: 1 x 5 Way ECG cable (IEC) - ADU / PED, or 1 x 3 Way NEO cable (IEC) IPP 1 x NiBP cuff set (3) - ADU, PED or NEO 1 x NiBP Hose (3M) 1 x SpO2 sensor - ADU, PED or NEO 1 x Temp sensor - ADU, PED or NEO 1 x Grounding cable 1 x Power cord 1 x Instructions for use	Piece	3		
20	CTG machine. Cardiotocograph (CTG) system for antepartum foetal and maternal monitoring. Capable of external monitoring of foetal heart rate (FHR) and maternal uterine activity (UA). Alphanumeric display shows FHR1, FHR2 and UCs and alarms. Automatically detects transducers when they are plugged in. Includes remote switch for event marking. Automatic self-test on power up. System reports with status and alarms. Power requirements: 100 - 240 Volts - 50/60 Hz. with 10 paper rolls	Piece	3		
21	Adult weighing scale Max. weighing: 180kgs, Scale division (d): 100g, Height range to be measured: 70-190cm, Min. value of height per division: 0.5cm, Size of packing box: 815/895x465x265mm, Load platform area (LxW): 375x270mm, Measurement (LxWxH): 570x437x1317mm,	Piece	3		
22	LED Examination Lamp. Portable and mobile stand type. Focus concentration. Arm extendable to 95 cm allows an ample turn around. Light source: LED 8W 24°. Mounted on 5-trays base with swivel castors; load.	Piece	3		
23	Examination bed made from epoxy coated white frame stainless steel, leather upholstery with high density foam padding. Single hand operated adjustable back rest Provision	Piece	4		
24	Portable Oxygen Concentrator. Flow rate: 10 LPM in 1 liter increments. Alarm indicators: High system pressure, Low system pressure, Power failure, Low oxygen level. Highly durable casters designed to withstand rigorous usage. Up to 96% oxygen concentration in the	Piece	6		

	range of 2 - 10 LPM. 2Operating Voltage 230V/60Hz				
25	Benchtop Clinical diagnostic HbA1c analyzer with reagent sufficient for 300 test. Measurement Range - 4-15% Test Time - Total about 5 minutes Sample Size - 5 µL Sample Type - Fresh whole blood (Capillary and Venous) Power Source - AC Adapter (100-240V AC, 50/60Hz) Memory - 500 memories Analyzer Connectors - USB cable for Data Transfer	Piece	3		
26	Compact, easy-to-use diagnostic immuno-analyzer to measure the presence of various biomarkers for hormones, infectious diseases, autoimmune diseases, and metabolic diseases. Up to 30 tests/hour. 276 x 220 x 91 mm /1.3 kgs in weight, 100 – 240V AC, 50-60Hz, Internal & external battery. QC/Calibration: System check cartridge Internal & external controls.interface : 7" touch screen Built-in thermal printer USB port / Ethernet / SD card slot.Supplied With 50 test for each for the following test Paramter: CRP-TSH-T4-D-dimer-Vit D-Ferritin-PSA - RF IgM-ASO	Piece	3		
27	Professional Good quality Binocular laboratory microscope. Objectives 4X, 10X, 40X, 100XR . With Cedar wood oil (100 ml) for the oil immersion lenses + 1 pack of 100 Microscope slides, 75 x 25 mm,	Piece	4		
28	Multivolume adjustable micropipette (20-200ul)	Piece	4		
29	Multivolume adjustable micropipette 500ul	Piece	4		
30	Good quality benchtop Laboratory centrifuge. Multipurpose (with blood, urine, cell/tissue culture, plates or cytology) centrifuge can accept either an 8x15 mL fixed angle rotor or a 6x50 mL fixed angle rotor. There are also adapters available for 5,7 and 10 mL tubes. The digital display allows users to view either RPM or RCF as well as time. Digital Variable Speed controller can spin from between 300-4,500 RPMs	Piece	3		
31	Autoclave Sterilizer, Stem Autoclave 16 L with 3 sterilization Basket container made of stainless steel spesifications: 2 sterilization cycles: possibility of	Piece	3		

	choosing two cycles at 134°C or 121°C. Fully automatic preheating, sterilization and drying phases. Closure system with operator safety pin. Thermodynamic system for expelling “cold” air sockets. Chamber made entirely of stainless steel, with band-type heating element to guarantee even heating. with 4 aluminum trays. EA				
32	Compressed nebulizer Efficient Nebulization Rate of 0.3ml-0.4ml/min 3 Micro M Particle Size to reach lower airway for effective nebulization Medication Capacity 7ml-12ml Complete accessories including nebulizer kit, adult and child mask, mouthpiece, nosepiece, air tube, spare air filters, and quick start guide., Operating Air Flow Rate 3.5 L/Min	Piece	3		
33	Laryngoscope Complete Laryngoscope Sets Miller or Macintosh blades and each set including three blade sizes for maximum patient accommodation spanning from pediatrics to adults, straight or curved Configurations of 3 blades and battery handles in impact-resistant cases -	Piece	3		
34	Manual resuscitator set for adult. Transparent case for resuscitator (polypropilene)O2 reservoir bag 2500 ml.for Revivator adults. Guedell Airway n° 3 , Guedell Airway n° 5, Reservoir valve O2	Piece	6		
35	Manual resuscitator set for children. Transparent case for resuscitator (polypropilene)O2 reservoir bag 2500 ml.for children Guedell Airway n° 1Guedell Airway n° 3 Reservoir valve O2	Piece	6		
36	Minor surgical kit. All tools are made from high-grade surgical stainless steel (TC Olsen Hager Needle Holder 5.5" (14cm)+ TC Mayo Scissors 5.5" (14cm) +Kelly Forceps 5.5" (14cm) Straight+Kelly Forceps 5.5" (14cm) Curved+Adson Forceps 4.75" (12cm)+Adson Forceps 1×2 Teeth 4.75" (12cm)+Mosquito Forceps 5" (12.5cm) Straight+Mosquito Forceps 5" (12.5cm) Curved+Iris Scissors 4.5" (11.4cm)+Spencer Scissors 4.5" (11.4cm)+Dressing Forceps 6.25"	Piece	3		

	(16cm)+Scalpel Handle # 3+Scalpel Handle # 4				
37	Dressing set, 8 pieces. One Instrument tray with lid 25 x 30 x 6.2 cm.one Kidney Dish 20 cm.one Dressing Forceps (Thumb) - 16 cm.One Mayo scissors - straight - 15 cm. One Rampley sponge holding forceps 18 cm. one English TOE dissecting forceps.one Kocher artery forceps - straight - 16 cm. one Gillpot J-type capacity 300 ml x 95 mm diameter ,10 oz	Piece	1		
38	Dressing Trolley - 4 Drawers. Tubular structure completely made of AISI 304 stainless steel with built-in push handles Worktop is made of stainless steel with raised rim and 4 drawers made of AISI 304 stainless steel with grey plastic handles, sliding on telescopic rails. Base on 4 thermoformed swivel castors, 2 are lockable. 4 PVC non-marking rubber bumpers. Equipped with: - stainless steel waste bin	Piece	3		
39	Hospital Bed With Mattress . Manual fowler bed, 2 Function. Size Length 2050mm x Width 900mm x Height 500 mm; 1 Function , Backrest and Leg rest adjustment manually ,Head & Leg bows made of CRCA tubes ,4 section Bed Board in 20 SWG CRCA Strips/ 18 SWG CRCA Tube Frame. 4 IV Pole provision	Piece	2		
40	Padded Phlebotomy Chair with Arms.The chair is constructed with welded, powder-coated frame and high-density foam upholster padded seat	Piece	1		
41	Hand-held Vascular Doppler Ultrasound Frequency: 8MHz Probe, Display shows blood flow direction and relative frequency of the signal.USB to transmit the data to computer, LCD Display: 65mm*50mm	Piece	3		
42	ECG12-channel electrocardiograph, equipped with a full alphanumeric keyboard featuring excellent functional one-touch operation keys. It features a 8.4" LCD display with two screen type options. With 10 paper roll	Piece	1		
43	IV Cannula , 18G (Green)	Single unit	300		
44	IV Cannula , 22G (Blue)	Single unit	1500		

			1500		
45	IV Cannula , 20G (Pink)	Single unit			
46	Alcohol medical swab	Pack of 100 Swab	300		
47	Alcohol solution 75%. Hand rub	Bottle of 5 L	300		
48	Cotton Roll 500g	Roll	375		
49	Gauze Roll 500	Roll	150		
50	Disposable Bed sheet	EA	1200		
51	Sterile Wooden Tongue depressor	Pack of 100	300		
52	Urine collection bag 2000ml	Singel set	300		
53	Surgical reinforced surgical gown	Singel Unit	900		
54	Elastic Crepe Bandages 10 cm X 4m	Roll	3000		
55	Non Sterile Gauze Pads 7.5cm X 7.5cm	Pack of 100 Pad	750		
56	Sterile Guaze Swabs 10 cm x 10 cm	Pack of 100 Swab	600		
57	Syringe, 3ml, Sterile with detached needle, 21Gx1 1/2" (0.80 x 40mm),	Singel Unit	900		
58	Syringe,insulin,1ml, U-100,30-31G	Singel Unit	3000		
59	Parafine Dressing Gauze 10cm X10 cm	Pack of 10	300		
60	Syringe, 10ml, sterile, with detached (bi-packed / mounted) needle , 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	9000		
61	Syringe, 5ml, sterile, with detached (bi-packed / mounted) needle, 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	9000		
62	Nitrile Examination Gloves Size L	Box of 100	405		
63	Surgical Face masks with elastic earloop	Pack of 50	300		
64	Sterile Surgical Blades	Pack of 100 Blade	120		
65	Catheter, Foley,CH16,sterile	Singel unit	300		
66	Adhesive non woven wound dressing 10 m x 15 cm	Roll	375		
67	Biohazard Bags 10 Liter	Roll of 10 Pieces	300		
68	Infusion Set	Singel unit	1875		
69	Disposable Vaginal speculum size large	Singel unit	300		
70	Adult Oxygen Mask	Singel unit	300		
71	Pediatric Oxygen Mask	Singel unit	150		

72	Nebulizer Masks (Adult size)	Singel unit	180		
73	Nebulizer Masks (Pediatic size)	Singel unit	180		
74	povidone iodine 10% solution	1000 ml bottle	90		
75	Emergency bag has equipments required for intubation one laryngioscope , 12 Endotracheal tubes all sizes , 30 syrniges 10cc , 30 IV canulas green , blue , pink , IV sets , one hemostatic packs	Piece	4		
76	Medical Backpack with multiple Pouches, Durable and Reliable Construction and ample storage capacity. Capacity 35 L. Dimension : L x W x H = 37x55x 30 CM.	Piece	4		
77	Good Quality Clinically Validated Automatic Blood Pressure Monitor, pulse rate, replaceable battery powered device with digital screen and Adjustable Cuff (Reister)	Piece	4		
78	Stethoscope - Acoustic Chrome-plated binaural metal with diaphragm and non-chill large bell (Littman/Reister orignal/Erka)	Piece	4		
79	Ophthalmoscope - LED HQ ,Aspherical optical system , Aluminium frame system, 28 Lenses ,74 single diopter steps.Eliminates corneal reflexIdeal for small pupils ,Dustproof	Piece	4		
80	Otoscope Super Quality Otoscope Set with handle, otoscope head (optical quality glass lenses), several different sizes of reuseable specula and Protective Zippered Case. .	Piece	4		
81	Glucometer -Digital device with battery , lancets , lanncet pin , and 50 test strips (Accu check)	Piece	4		
82	Finger Pulse oximeter Portable Digital Reading LED Display	Piece	4		
83	Digital thermometer, Oral Thermometer reading within 30 second. Measurement range 32 °C - 42 °C.	Piece	4		
84	Medical Flahlight pen light Made of high-quality anodized aluminum, Button for interval or permanent operation,Fine thread for bulb replacement,Spatula mount as accessory,Standard battery	Piece	8		
85	Poratable AED (defibrillator) with illuminated monitor -ECG display, instructions in text form, measured values.switches to a pediatic mode with reduced energy.CPR guidance even	Piece	2		

	during charging phase to ensure optimal patient care and minimize no-flow time. stepless adjustment of the delivered energy to each patient with escalating energy levels up to 360 J in case of possibly necessary multiple defibrillation				
86	Alcohol medical swab	Pack of 100 Swab	12		
87	Alcohol solution 75%. Hand rub	Bottle of 5 L	20		
88	Cotton Roll 500g	Roll	15		
89	Sterile Wooden Tongue depressor	Pack of 100	30		
90	Elastic Crepe Bandages 10 cm X 4m	Roll	400		
91	Non Sterile Gauze Pads 7.5cm X 7.5cm	Pack of 100 Pad	100		
92	Sterile Gauze Swabs 10 cm x 10 cm	Pack of 100 Swab	100		
93	Syringe, 3ml, Sterile with detached needle, 21Gx1 1/2" (0.80 x 40mm),	Singel Unit	300		
94	Syringe, insulin, 1ml, U-100, 30-31G	Singel Unit	300		
95	Parafine Dressing Gauze 10cm X10 cm	Pack of 10	30		
96	Syringe, 10ml, sterile, with detached (bi-packed / mounted) needle, 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	300		
97	Syringe, 5ml, sterile, with detached (bi-packed / mounted) needle, 21Gx1 1/2" (0.80 x 40mm), disposable	Single Syringe	300		
98	Nitrile Examination Gloves Size L	Box of 100	60		
99	Surgical Face masks with elastic earloop	Pack of 50	60		
100	Sterile Surgical Blades	Pack of 100 Blade	4		
101	Adhesive non-woven wound dressing 10 m x 15 cm	Roll	60		
102	Biohazard Bags	Roll of 10 Piece	12		
103	Infusion Set	Singel unit	125		
104	povidone iodine 10% solution	1000 ml bottle	12		

Compliance with Requirements

	You Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal
Minimum Technical Specifications	<input type="checkbox"/>	<input type="checkbox"/>	
Delivery Term (INCOTERMS)	<input type="checkbox"/>	<input type="checkbox"/>	
Delivery Lead Time	<input type="checkbox"/>	<input type="checkbox"/>	
Warranty and After-Sales Requirements	<input type="checkbox"/>	<input type="checkbox"/>	
Validity of Quotation	<input type="checkbox"/>	<input type="checkbox"/>	
Payment terms	<input type="checkbox"/>	<input type="checkbox"/>	
Other requirements <i>[pls. specify]</i>	<input type="checkbox"/>	<input type="checkbox"/>	

Other Information:

Estimated weight/volume/dimension of the Consignment:	
Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i>	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.	
<i>Exact name and address of the company</i> Company Name Address: Phone No.: Email Address:	Authorized Signature: Date: Name: Functional Title of Authorised Signatory: Email Address: